

To: Goforth, Kathleen[Goforth.Kathleen@epa.gov]
From: Plack, Beatrice
Sent: Thur 8/6/2015 6:11:16 PM
Subject: FW: AX-15-001-1767 Due on 8/5/2015
[AX-15-001-1767 Control Slip.pdf](#)
[AX-15-001-1767.pdf](#)

Kathleen do you remember this? It was one of those Red Folder issues sent to you July 23rd. I'm getting messages from the RA office it was due yesterday.

Beatrice

From: Kwok, Frances
Sent: Thursday, July 23, 2015 9:17 AM
To: Moore, Linda; Plack, Beatrice
Cc: Kemmerer, John; Gaudario, Abigail
Subject: RE: AX-15-001-1767 Due on 8/5/2015

Thank you, Linda for your quick response. I will forward it to the Enforcement Division.

Adding Beatrice Plack

B, Please pass the attached to your team.

Thanks,

Frances

From: Moore, Linda
Sent: Thursday, July 23, 2015 9:12 AM
To: Kwok, Frances <Kwok.Frances@epa.gov>
Cc: Kemmerer, John <KEMMERER.JOHN@EPA.GOV>

Subject: FW: AX-15-001-1767 Due on 8/5/2015

Hi Frances,

The above request should be reassigned to the Enforcement Division, per the email message attached from John Kemmerer. Water Division file closed.

Thank you

Linda Moore

Water Division

US EPA Region 9

75 Hawthorne Street

San Francisco, CA 94105

(415) 972-3745 - work

(415) 972-3549 - fax

moore.linda@epa.gov

From: Kemmerer, John

Sent: Thursday, July 23, 2015 9:07 AM

To: Moore, Linda

Cc: Vendlinski, Tim

Subject: RE: AX-15-001-1767 Due on 8/5/2015

Hi Linda – This correspondence should go to the Enforcement Division for their reply. The

specific issue raised here is about alternatives in the NEPA process for this project. The Enforcement Division's Environmental Review Office is the lead for the NEPA review of this project, and they should speak to the specific issue raised here, not the Water Division.

John Kemmerer, Associate Director

Water Division

U.S. EPA Region 9

600 Wilshire Boulevard, Suite 1460

Los Angeles, CA 90017

kemmerer.john@epa.gov

213-244-1832 (phone)

213-244-1850 (fax)

From: Moore, Linda

Sent: Thursday, July 23, 2015 9:02 AM

To: Kemmerer, John

Cc: Vendlinski, Tim

Subject: FW: AX-15-001-1767 Due on 8/5/2015

Good Morning John,

I'm assigning the attached AX to your office for a response, please note the due date is Aug 5, 2015.

Thank you

Linda Moore

Water Division

US EPA Region 9

75 Hawthorne Street

San Francisco, CA 94105

(415) 972-3745 - work

(415) 972-3549 - fax

moore.linda@epa.gov

From: Kwok, Frances

Sent: Wednesday, July 22, 2015 3:26 PM

To: Moore, Linda

Cc: Gaudario, Abigail

Subject: AX-15-001-1767 Due on 8/5/2015

Linda,

ORA received the attached AX-15-001-1767. The subject is Request for real BDCP alternatives. The due date is August 5, 2015.

Thanks,

Frances Kwok

Office of the Regional Administrator

U.S. E.P.A. Region 9

75 Hawthorne Street

San Francisco, CA 94105

(415) 947-4232

kwok.frances@epa.gov